






100 million sq. ft. of workspaces transformed

15 million sq. ft. annual production capacity

15,000+ clients across the globe

8 offices across India


500+ UnitilersGrowing with **40+ partners**





Wrath of unexpected damages

Damage of panel flanges during installation



Displeasing to the ears

Squeaking/Creaking & hollow sounds in the facility




Stacked against the odds

Overlapping of the panel flanges



Irregular and uneven

Poor flatness of the overall floor due to damage of flanges at regular intervals



Buckled under the strain

Sagging of panels due to heavy load imposition at site



Safety hazard


Threat & Injuries to personnel during the construction activity at site due to sharp panel flanges



Featuring the world's most intelligent noise-neutral raised access flooring solution

UNIFOLD





DIMENSIONS: 600 mm x 600 mm

PANEL THICKNESS: 30 mm | 35 mm


TOP: Flat steel

BOTTOM: Flat steel uniquely designed to form

hemispherical reinforcing pockets

CORE: Lightweight proprietary cementitious mixture

APPLICATION: Open office



SYSTEM SELECTION GUIDE

| Grade | UFP 1650 | UFP 2250 |
|--|-------------|-------------|
| Concentrated Load Kgs (lbf) | 360 (800) | 450 (1000) |
| Ultimate concentrated Load Kgs (Ibf) (Min) | 1080 (2400) | 1350 (3000) |
| Uniform distributed Load Kgs / Sq. mt. | 1650 | 2250 |
| Rolling Load* Kgs (lbf) | 180 (400) | 225 (500) |



COMPARISON STANDARD FLANGE PANEL UNIFOLD PANEL

Weight of the panel: **15.24 kgs** Approx system weight for a FFH

of up to 200mm: 47 kgs

www.unitileindia.com


Weight of the panel : **15.1 kgs** Approx system weight for a FFH

of up to 200mm: 43 kgs

STANDARD FLANGE PANEL

Flange width 12.5 mm cantilever flange

The flat flange around the perimeter of the panel is weak and easily vulnerable to damage.



UNIFOLD PANEL

Double fold wrapped around edges 3.25 mm cantilever
flange width

The double fold wrap technology around the perimeter of the panel provides:



Damage proof flanges



100% Guaranteed squeak/creak free floor



Enhanced floor flatness & alignment (No overlapping)





Avoids sharp cuts & ensures human safety

STANDARD FLANGE PANEL

17.50 mm Beam Width


Narrow beam width around the perimeter of the panel decreases the technical performance of the system.






UNIFOLD PANEL

26.50 mm Beam Width






57% increase in the Uniformly Distributed Loading capacity

STANDARD FLANGE PANEL

349.4 sq. mm Foot Print Area of the panel rests on the pedestal head plate

Low foot print area on the pedestal head leads to instability & rocking of panels.





UNIFOLD PANEL


1003.4 sq.mm Foot Print Area of the panel rests on the pedestal head plate



Upto **3x times** higher foot print area on the pedestal head



Rock solid stability





The patented design of Unifold Raised Access Floor system was launched on:

1st November, 2012

The product design has been accepted and used by 95% of the Banking, Financial services & Insurance (BFSI) sector in India with repeat orders and rate contracts highlighting enhanced customer satisfaction.

95%

We at Unitile are proud to announce that the total Projects won and executed till date sum to:

INDIA

6,10,66,661 (6.10 cr) sq. ft.

INTERNATIONAL

69,66,655 sq. ft.



BFSI

2,54,76,768 sq. ft.



CONSUMER DURABLES 16,83,077 sq. ft.



CO-WORKING

68,59,838 sq. ft.



TELECOM

13,30,911 sq. ft.



CONSTRUCTION & REAL ESTATE

1,78,234 sq. ft.



PHARMA

20,20,445 sq. ft.



OIL & GAS

2,90,435 sq. ft.



AUTOMOBILE & ENGINEERING

2,62,110 sq. ft.



IT / ITES

1,90,70,289 sq. ft.



MEDIA

6,35,861 sq. ft.



CHEMICALS

1,97,739 sq. ft.



HOSPITALITY

14,359 sq. ft.



OTHERS

30,46,595 sq. ft.

Key Projects - National

19,16,019 23,26,252 WELLS FARGO 37,72,487 27,35,390 15,85,655 J.P.Morgan wework **SMARTWORKS** Reliance sq. ft. sq. ft. sq. ft. sq. ft. sq. ft. tcs 9,49,990 9,47,303 citi 12,88,617 13,78,597 11,03,256 Google BARCLAYS **Hewlett Packard** TATA sq. ft. Enterprise CONSULTANCY sq. ft. sq. ft. sq. ft. sq. ft. **SERVICES** 7,36,268 11 111 11 5,73,259 5,43,929 5,34,013 9,32,801 BT adani CISCO sq. ft. sq. ft. sq. ft. sq. ft. sq. ft. 3,61,638 3,13,901 Q 2,79,963 4,92,491 4,60,462 Honeywell sımplıwork **Deloitte.** HCL sq. ft. sq. ft. BOEING sq. ft. sq. ft. sq. ft.

Key Projects - National



2,48,218 sq. ft.



2,46,941 sq. ft.



2,17,960 sq. ft.



2,08,456 sq. ft.



1,98,241 sq. ft.

Gartner,

1,88,047 sq. ft.



1,82,751 sq. ft.



1,18,792 sq. ft.



1,01,214 sq. ft.



68,459 sq. ft.



51,484 sq. ft.



48,463 sq. ft.



45,984 sq. ft.



45,704 sq. ft.



42,938 sq. ft.



35,338 sq. ft.



25,095 sq. ft.



18,998 sq. ft.



17,438 sq. ft.



14,994 sq. ft.

Key Projects - South East Asia

* AREAS ARE MENTIONED IN SQ. FT.



Philippines **7,22,760**



Philippines **7,20,920**



Philippines **4,73,440**



Philippines 4,47,993



Philippines **1,81,672**



Philippines 1,61,400



Philippines 1,07,600



Philippines **87,080**



Philippines **86,080**



Philippines **64,600**



Philippines **64,560**



Philippines **43,040**



Vietnam **16,146**



Vietnam

8,073

Key Projects - Middle East

* AREAS ARE MENTIONED IN SQ. FT.



Dubai **1,07,600**



Dubai **86,095**



Dubai **75,320**



Doha **33,356**



Dubai **33,356**



Bahrain **30,817**



Dubai **30,000**



Oman **21,539**



Dubai **16,157**



Dubai **15,000**



Riyadh **12,067**



Riyadh **12,067**



Qatar **7,122**



Qatar **6,033**




Bahrain **2,723**



Dubai **2,502**

Key Projects – Other Regions

* AREAS ARE MENTIONED IN SQ. FT.



Nigeria 26,910

Heydar Aliyev Baku Oil Refinery

Azerbaijan 20,000



Sri lanka

8,223



Sri lanka

5,759



Sri lanka

4,844



Maldives 2,390



Maldives 2,303

Assela **Wind Power** Station

Ethiopia 1,337




Sri lanka

1,163



Uganda 388



89%

were delighted with the flawless execution

THE MOST PREFERRED SOLUTION

98%

agree on the quality and support being excellent

95%

agreed that on-site supervision was supreme 93%

were very satisfied with the perfectly aligned squeak-free floor 99%

will recommend raised access floor system to others

Would like to know more?

Click here to view our client feedback forms

98%

will prefer to use
Unifold raised access
floor in the future

